



5151 CORPORATE WAY
JUPITER, FL 33458-3101
(866)720-8386

Route#: 0

Page#: 1

Client: ACCESS MEDICAL LABORATORI 1 5151 CORPORATE WAY JUPITER, FL 33458	Patient: SMITH, AJOHN DOB: 06/22/1942 ID#: A1703001304759 Phone: () -	Age:75 Sex:M
Phys: SARA, ALAN (561) 745-1233	Chart#:	Room#:

Access#: 001304759	Coll. Date: 03/30/18 Coll. Time:	Recv. Date: 03/30/18 Recv. Time:07:46:40	First Report on: 06/22/17 Final Report on: 06/22/17 Print Date: 08/14/18 Print Time: 11:37
---------------------------	-------------------------------------	---	--

Report Status: FINAL

SPECIMEN INFO: TIMED URINE

Creatinine, Urine **150 mg/dL**
Total Collect.Time, Urine **24 hr**

Total Volume, Timed Urine **2000 mL**

TOXIC METALS, PRE-PROVOC

Test Name	Results	Range	Units	Graph
Aluminum, Urine	9.3	0 - 30	ug/g	
Antimony, Urine	0.2	0 - 0.9	ug/g	
Arsenic, Urine	21.3	0 - 100	ug/g	
Barium, Urine	1.3	0 - 6	ug/g	
Bismuth, Urine	2.0	0 - 10	ug/g	
Cadmium, Urine	1.0	0 - 2	ug/g	
Cesium, Urine	10.0	0 - 12	ug/g	
Gadolinium, Urine	0.3	0 - 0.9	ug/g	
Germanium, Urine	1.4	0 - 2	ug/g	
Lead, Urine	1.3	0 - 10	ug/g	
Mercury, Urine	3.3	0 - 10	ug/g	
Nickel, Urine	4.0	0 - 7	ug/g	
Niobium, Urine	0.3	0 - 1.0	ug/g	
Platinum, Urine	0.1	0 - 1	ug/g	
Rubidium, Urine	1512.0	0 - 4000	ug/g	
Thallium, Urine	0.3	0 - 0.7	ug/g	
Thorium, Urine	0.1	0 - 0.1	ug/g	
Tin, Urine	0.4	0 - 10	ug/g	
Titanium, Urine	< dl	0 - 6	ug/g	
Tungsten, Urine	0.1	0 - 1	ug/g	

(Continued on Next Page)

<dl = less than detectable limit

	Results	Units	Reference Range	Results are creatinine corrected to account for urine dilution variations. Reference intervals and corresponding graphs are representative of a healthy population under non-provoked conditions. Chelation (provocation) agents can increase urinary excretion of metals/elements.
Creatinine, Urine	150	mg/dL	20-370	

Comments:



5151 CORPORATE WAY
 JUPITER, FL 33458-3101
 (866)720-8386

Route#: 0

Page#: 2

Client: ACCESS MEDICAL LABORATORI 1 5151 CORPORATE WAY JUPITER, FL 33458	Patient: SMITH, AJOHN DOB: 06/22/1942 ID#: A1703001304759 Phone: () - Chart#:	Age:75 Sex:M Room#:
Phys: SARA, ALAN (561) 745-1233		

Access#: 001304759	Coll. Date: 03/30/18 Coll. Time:	Recv. Date: 03/30/18 Recv. Time:07:46:40	First Report on: 06/22/17 Final Report on: 06/22/17 Print Date: 08/14/18 Print Time: 11:37
---------------------------	-------------------------------------	---	--

Test Name	Results	Range	Units	Graph
Uranium, Urine	0.03	0 - 0.05	ug/g	

<dl = less than detectable limit

	Results	Units	Reference Range	Results are creatinine corrected to account for urine dilution variations. Reference intervals and corresponding graphs are representative of a healthy population under non-provoked conditions. Chelation (provocation) agents can increase urinary excretion of metals/elements.
Creatinine, Urine	150	mg/dL	20-370	

Comments: